

# Hoteza HotPad

A multilingual interactive guest services application designed for room-based tablets

Hoteza HotPad benefits everyone: guests receive an unforgettable experience staying at a hotel, while the hotel gets an **efficient marketing tool** for communicating with guests.

## HotPad features:

- ✓ Welcome screen
- ✓ Hotel information
- ✓ PMS interface
- ✓ Guest Messages
- ✓ View bill
- ✓ Statistics Module
- ✓ Multilingual Support
- ✓ Restaurant and SPA booking
- ✓ Wake up service
- ✓ Photo gallery
- ✓ In-Room Services
- ✓ Hotel Services
- ✓ Feedback
- ✓ Hoteza CMS
- ✓ Promotions
- ✓ Room Control (GRMS)
- ✓ City Guide
- ✓ TV control
- ✓ In-App browser



## Coming soon:

- ✓ Web radio
- ✓ Weather Forecast
- ✓ Express check out
- ✓ Mood Music Playlists
- ✓ TV channel streaming
- ✓ TV Channels Mosaic

## HotPad supported languages:

- Arabic
- Chinese (Simplified)
- Chinese (Traditional)
- Croatian
- Danish
- English
- Finnish
- French
- German
- Italian
- Japanese
- Kazakh
- Korean
- Norwegian
- Persian
- Russian
- Serbian
- Slovenian
- Spanish
- Swedish
- Turkish
- Ukrainian
- Vietnamese
- + any other by request

# HotPad compatible tablets

## iOS devices (ios 8 or later)

- Apple iPad
- Apple iPad 2
- Apple iPad mini

## Metro design

- ✓
- ✓
- ✓

## Classic design

- ✓
- ✓
- ✓


## Android devices (5.x or later)

- Samsung Galaxy Tab A 7.0
- Samsung Galaxy Tab A 8.0
- Samsung Galaxy Tab A 9.7
- Samsung Galaxy Tab A 10.1
- Samsung Galaxy Tab S2 8.0
- Samsung Galaxy Tab S2 9.7
- Samsung Galaxy Tab S3 9.7
- Other tablet 1024x768\*
- Other tablet other resolution\*

- ✓
- ✓
- ✓
- ✓
- ✓
- ✓
- ✓
- ✓
- ✓

- ✓
- ✓
- ✓
- ✓
- ✓
- ✓
- ✓
- ✓
- ✓

\*Testing required before implementation



## HotPad server system requirements\*

### Option 1 - hardware server

- Model: Dell R230 or better
- CPU: 1 Xeon E3 1230 or better
- RAM: 4 GB
- HDD: 100 GB (1 TB if VoD)
- NIC: 4x1 Gbit ports

### Option 2 - virtual machine

- Hypervisor: Hyper-V or VMware
- CPU: 4 x vCPU or more
- RAM: 4 GB (not shared)
- HDD: 100 GB (1 TB if VoD)
- NIC: 4x1 Gbit ports (not shared)

\*Not needed if Hoteza TV is installed

## HotPad compatible PMS

### FIAS API (TCP/IP only)

- Opera/Fidelio
- Libra/Epitome (not all methods, ask Libra partner for more information)
- Protel
- Laserline
- WISH .NET
- UCS Shelter (from v.2.12.118.2325)
- IDS Next
- Diventa
- 1c hotel
- Theova UHS

### WebAPI

- Edelweiss
- WestSoft
- Logus
- Mews
- KorPMS (HREC\*KOR) - under development

## HotPad compatible job dispatch systems

- HotelKit
- TeamJet
- Flexkeeing

## HotPad compatible POS systems

- Micros Symphony (v. 2.7 or later)
- Micros RES 3700
- Aloha

## HotPad compatible GRMS (Room Control)

**We support all KNX and Modbus systems. Among them:**

- Inncom
- Schneider China
- Wantong
- JOBO
- EMT Control
- Black Nova
- Rockwell Automation
- ETC
- AMX
- HDL
- Creston
- eKey
- Scheider Electric
- ABB
- Z-Wave
- Wago
- Busch-Jaeger
- Gewiss
- Danfoss
- Segnetics
- + any KNX and Modbus systems